

12/2017

Mod: E7/F2V7A4

Production code: BBEF4772V



Diamond
catering equipment



Product Service

Attestation of Conformity

No. N8A 15 05 69328 009

Holder of Certificate: EUROTEC S.R.L. DIVISIONE MBMViale Europa 24
37045 San Pietro di Legnago (VR)
ITALY**Product: Electric fryers**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: SIC14066.01**Date,** 2015-06-23

(Andrea China)

CE After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 4



Product Service

Attestation of Conformity
No. N8A 15 05 69328 009

Model(s): EF477T, EF4772VT, EF777T, EF477, EF4772V, EF777, EF411, EF49T, EF99T, EF49, EF99, EF498T, EF998T, EF498, EF998, EF45, EF90, EF66, EF46, EF408, EF6BM, EF8BM, EF8, EF12, EF8+8B, EF12+12B, EF20BP, EF60BP, EF12S, EF25S, EF12+12S, EF25+25S, EF908, EF6+6BM

Brand: MBM

Parameters:

Rated voltage:	400 V 3N~ 230 VAC (only models EF6+6BM, EF6BM, EF8BM)
Rated power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection:	IPX4

Note:
See attachment for further details

Tested according to: EN 60335-1:2012/A11:2014
 EN 60335-2-37:2002/A11:2012
 EN 62233:2008

Ae.



Product Service



Product Service

Attachment to

Attestation of Conformity

No. N8A 15 05 69328 009

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
EF477T	400x730xh250	9	EF908	800x900xh850	32
EF4772VT	400x730xh250	10,5			
EF777T	700x730xh250	19			
EF477	400x730xh850	9			
EF4772V	400x730xh850	10,5			
EF777	700x730xh850	19			
EF411	400x1100xh850	16			
EF49T	450x900xh580	16			
EF99T	900x900xh580	32			
EF49	450x900xh850	16			
EF99	900x900xh850	32			
EF498T	400x900xh580	16			
EF998T	800x900xh580	32			
EF498	400x900xh850	16			
EF998	800x900xh850	32			
EF45	450x900xh850	16			
EF90	900x900xh850	32			
EF66	600x600xh270	9			
EF46	400x600xh270	18			
EF408	400x900xh850	16			

Only models EF6BM, EF8BM and EF6+6BM have a supply of 230 V all other models in the list have a 400V supply.

Date, 2015-06-23

Page 3 of 4



AE



Product Service

Attachment to

Attestation of Conformity

No. N8A 15 05 69328 009

Model Derived	Dimension (mm)	Rated Power (kW)	Model Derivation	Dimension (mm)	Rated Power (kW)
EF6BM	290x485xh295	3	EF6+6BM	580x485xh295	6
EF8BM	290x550xh295	3			
EF8	290x550xh295	6			
EF12	370x655xh310	9			
EF8+8B	580x550xh295	12			
EF12+12B	750x655xh310	18			
EF20BP	750x675xh260	9			
EF60BP	750x775xh260	9			
EF12S	375x675xh845	9			
EF25S	375x755xh845	12			
EF12+12S	750x675xh845	18			
EF25+25S	750x755xh845	24			

Only models EF6BM, EF8BM and EF6+6BM have a supply of 230 V all other models in the list have a 400V supply.



Product Service

Ae

Date, 2015-06-23

Page 4 of 4



Product Service

Attestation of Conformity

No. E8A 15 09 69328 011

Holder of Certificate: EUROTEC S.R.L. DIVISIONE MBMViale Europa 24
37045 San Pietro di Legnago (VR)
ITALY**Name of Object: Electric fryers**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: EMC14086.01



Date, 2015-09-15


(Giuseppe Mecchia)

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 4



Product Service

Attestation of Conformity
No. E8A 15 09 69328 011

Model(s): EF477T, EF4772VT, EF777T, EF477, EF4772V, EF777, EF411, EF49T, EF99T, EF49, EF99, EF498T, EF998T, EF498, EF998, EF45, EF90, EF66, EF46, EF408, EF6BM, EF8BM, EF8, EF12, EF8+8B, EF12+12B, EF20BP, EF60BP, EF12S, EF25S, EF12+12S, EF25+25S, EF908, EF6+6BM

Trade name: **MBM**

Description of Object:

Rated voltage:	400 V 3N~ 230 VAC (only models EF6+6BM, EF6BM, EF8BM)
Rated power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection:	IPX4

Note:
See attachment for further details

Tested according to:

EN 55014-1:2006/A2:2011
EN 55014-2:1997/A2:2008
EN 61000-3-2:2006/A2:2009
EN 61000-3-3:2013



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 011

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
EF477T	400x730xh250	9	EF908	800x900xh850	32
EF4772VT	400x730xh250	10,5			
EF777T	700x730xh250	19			
EF477	400x730xh850	9			
EF4772V	400x730xh850	10,5			
EF777	700x730xh850	19			
EF411	400x1100xh850	16			
EF49T	450x900xh580	16			
EF99T	900x900xh580	32			
EF49	450x900xh850	16			
EF99	900x900xh850	32			
EF498T	400x900xh580	16			
EF998T	800x900xh580	32			
EF498	400x900xh850	16			
EF998	800x900xh850	32			
EF45	450x900xh850	16			
EF90	900x900xh850	32			
EF66	600x600xh270	9			
EF46	400x600xh270	18			
EF408	400x900xh850	16			

Only models EF6BM, EF8BM and EF6+6BM have a supply of 230 V all other models in the list have a 400V supply.

Date, 2015-09-15

Page 3 of 4



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 011

Model Derived	Dimension (mm)	Rated Power (kW)	Model Derivation	Dimension (mm)	Rated Power (kW)
EF6BM	290x485xh295	3	EF6+6BM	580x485xh295	6
EF8BM	290x550xh295	3			
EF8	290x550xh295	6			
EF12	370x655xh310	9			
EF8+8B	580x550xh295	12			
EF12+12B	750x655xh310	18			
EF20BP	750x675xh260	9			
EF60BP	750x775xh260	9			
EF12S	375x675xh845	9			
EF25S	375x755xh845	12			
EF12+12S	750x675xh845	18			
EF25+25S	750x755xh845	24			

Only models EF6BM, EF8BM and EF6+6BM have a supply of 230 V all other models in the list have a 400V supply.



Product Service

Date, 2015-09-15

Page 4 of 4