

03/2007

Mod:F14E/M

Production code:EF12S



1.1 ELECTRIC TABLE FRYERS, ELECTRIC STANDING FRYERS AND FRYERS FOR CONFECTIONERY

MODEL	DIMENSIONS mm.		Tank Capacity Lt.	TANK N°	TOTAL POWER SUPPLY kW	NET WEIGHT kg.
	External	Basket				
	W x D x H/H max.	mm.				
F14E/M	375 x 655 x 845 / 985	235 x 275 x 105	12/14	1	9	29
F14+14E/M	750 x 655 x 845 / 985	235 x 275 x 105	12/14+12/14	2	9+9	55

*Feeding Power: 3N AC 400V ; 3 AC 230V ; IN AC 230V ; 50/60 HZ

1.2 TECHNICAL CHARACTERISTICS ELECTRIC TABLE FRYERS

STRUCTURE

Manufacture in stainless **STEEL AISI 304**, with removable head.

SAFETY TAP for oil discharge and rubber feet.

BASKET made of bright chromed steel, with nylon handles and hook to support basket.

ADJUSTABLE THERMOSTAT and **SAFETY THERMOSTAT**.

1.3 TECHNICAL CHARACTERISTICS ELECTRIC STANDING FRYERS

STRUCTURE

Manufacture in stainless **STEEL AISI 304**, with removable head.

SAFETY TAP for oil discharge and rubber feet adjustable.

BASKET made of bright chromed steel, with nylon handles.

CONTAINER with filter for recovery oil.

ADJUSTABLE THERMOSTAT and **SAFETY THERMOSTAT**.

“Cool zone” for the deposit of the residue of cooking.

1.4 TECHNICAL CHARACTERISTICS ELECTRIC TABLE FRYERS FOR CONFECTIONERY

STRUCTURE


Manufacture in stainless **STEEL AISI 304**, with removable head.


SAFETY TAP for oil discharge and rubber feet.

Special **BASKET** excellent for confectionery, with nylon handles.





ADJUSTABLE THERMOSTAT and **SAFETY THERMOSTAT**.


SCHEMI DI INSTALLAZIONE - INSTALLATION DIAGRAM
SCHEMAS D'INSTALLATION - INSTALLATIONSPLÄNE
ESQUEMAS DE INSTALACIÓN



 Uscita cavo elettrico
 Electric cable output
 Sortie câble électrique
 Elektrischkabel ausgang
 Salida cable eléctrico

SCHEMI DI INSTALLAZIONE - INSTALLATION DIAGRAM
SCHEMAS D'INSTALLATION - INSTALLATIONSPLÄNE
ESQUEMAS DE INSTALACIÓN



-  Uscita cavo elettrico
- Electric cable output
- Sortie câble électrique
- Elektrischkabel ausgang
- Salida cable eléctrico