




Ice Cube

Fresh Maker HC



Self-contained ice maker - Sprayer system
Daily production up to 24 kg



► Working conditions

- Location: Indoor

	Min	Max
Ambient temperature	+10° C / +50° F	+43° C / 110° F
Water temperature	+3° C / +37° F	+32° C / +90° F
Voltage	-10%	+10%
Water inlet pressure	1bar (14 psi)	6bar (84 psi)

► Performances

		Water temperature					
		7° C	45° F	15° C	60° F	21° C	70° F
Air temperature	10° C	24 kg					
	50° F		53 lbs				
	21° C			21 kg			
	70° F				46 lbs		
	32° C					20 kg	
	90° F						44 lbs

► Connections

All measures are referred to the rear bottom-left corner (L-H-Ø)

- ① Water in.: 120 mm / 4 12/16" - 218 mm / 8 9/16" - 3/4"
- ② Water out.: 150 mm / 5 14/16" - 42 mm / 1 10/16" - 24 mm / 15/16"
- ③ Electrical connections: 46 mm / 1 13/16" - 42 mm / 1 10/16"

► Technical information

Production in 24h	21 kg / 46 lbs	Water consumption	W: 15 l/kg - 179,7 gal/100 lbs
Store capacity, up to	4 kg / 9 lbs	Sizes (L-P-H mm)	540 - 430 - 435
Cooling system	W	(L-P-H in)	21 4/16 - 16 15/16 - 17 2/16
Kind of cube	D-13g	Sizes with pack (L-P-H mm)	590 - 490 - 620
Refrigerant	R290	(L-P-H in)	23 4/16 - 19 5/16 - 24 7/16
Standard voltage	220-240 V ~ 50 Hz	Net weight	32,5 kg / 72 lbs
Average power consumption	210 W	Gross weight	39,5 kg / 87 lbs
Fuse	10 A	Finish	AISI 304 stainless steel, scotch brite
Delivered water	1,2 l/min	Electrical Consumption	25 kWh/100kg

All the technical information must be considered at the following conditions:

- Sizes without feet
- Standard Cube (13 g)
- Ambient temperature +21° C
- Water temperature +15° C
- Electrical consumption at +32° C (standard voltage)
- Average power consumption at +43° C (standard voltage)

Models and specifications are subject to change without notice

Rev. 00 - Issued March 2025



www.bremagroup.it
info@bremacegroup.it

We are Brema

